

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12210	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L2	44	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L3	27	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L4	99	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L5	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L6	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L7	5440	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L8	1971	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L9	16	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L10	695	713/175 ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L11	3137	713/168 ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L12	3737	L10 or L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L13	278	L7 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L14	85321	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L15	43	L13 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L16	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L17	44	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L18	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L19	1212	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L20	79	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L21	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L22	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L23	9855	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L24	12209	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L25	649	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L26	70	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L27	1084	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L28	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L29	629	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L30	387	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L31	11	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L32	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L33	566	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L34	49	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L35	11041	((flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L36	876	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L37	208	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L38	31	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentica\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L39	12210	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L40	44	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L41	27	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L42	99	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L43	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L44	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L45	5440	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L46	1971	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L47	16	L45 and L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L48	695	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L49	3137	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L50	3737	L48 or L49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L51	278	L45 and L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L52	85321	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L53	43	L51 and L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L54	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L55	44	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L56	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L57	1212	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L58	79	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L59	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L60	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L61	9855	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L62	12209	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L63	649	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L64	70	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L65	1084	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L66	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L67	629	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L68	387	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L69	11	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L70	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L71	566	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L72	49	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L73	11041	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L74	876	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L75	208	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L76	31	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentica\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L77	2	"6801998".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L78	2	"7068789".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L79	4809	713/168,175,177-180. ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L80	12210	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L81	44	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L82	27	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L83	99	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L84	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L85	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L86	5440	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L87	1971	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L88	16	L86 and L87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L89	695	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L90	3137	713/168 ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L91	3737	L89 or L90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L92	278	L86 and L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L93	85321	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L94	43	L92 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L95	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L96	44	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L97	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L98	1212	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L99	79	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L100	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L101	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L102	9855	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L103	12209	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L104	649	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L105	70	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L106	1084	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L107	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L108	629	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L109	387	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L110	11	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L111	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L112	566	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L113	49	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L114	11041	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L115	876	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L116	208	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L117	31	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentica\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L118	12210	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L119	44	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L120	27	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L121	99	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L122	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L123	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L124	5440	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L125	1971	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L126	16	L124 and L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L127	695	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L128	3137	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L129	3737	L127 or L128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L130	278	L124 and L129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L131	85321	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L132	43	L130 and L131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L133	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L134	44	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L135	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L136	1212	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L137	79	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L138	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L139	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L140	9855	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L141	12209	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L142	649	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L143	70	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L144	1084	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L145	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L146	629	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L147	387	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L148	11	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L149	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17

L150	566	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L151	49	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L152	11041	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L153	876	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L154	208	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
L155	31	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentical \$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 15:17
S1	6916	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:21
S3	23	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:31
S4	18	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:31
S5	55	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51

S6	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S7	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S8	3503	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:33
S9	1255	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:32
S10	9	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:51
S11	412	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:53
S12	1655	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:01
S13	2019	S11 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:01
S14	155	S8 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 18:26
S15	42955	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:02

S16	16	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:02
S17	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:06
S18	28	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:07
S19	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S20	688	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S21	33	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S22	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 13:29
S23	2	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 13:29
S24	6065	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:06
S25	7613	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:06

S27	367	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:19
S28	35	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:26
S29	791	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:26
S31	1	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:27
S34	446	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:28
S36	277	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:33
S37	4	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:32
S41	17	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:34
S42	426	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/31 13:25
S43	38	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/31 13:25

S44	8790	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:46
S45	708	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:47
S46	178	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:47
S47	23	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentica\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:53
S48	9893	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S49	36	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S50	22	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S51	81	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S52	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S53	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

S54	4676	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S55	1660	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S56	15	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S57	576	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S58	2523	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S59	3023	S57 or S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S60	221	S54 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S61	68573	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S62	31	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S63	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

S64	36	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S65	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S66	1035	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S67	63	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S68	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S69	2	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S70	7914	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S71	9892	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S72	517	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S73	55	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

S74	950	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S75	2	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S76	549	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S77	336	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S78	6	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S79	22	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S80	499	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S81	43	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S82	9707	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S83	776	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

S84	189	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S85	26	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authenticat\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S86	2	"6801998".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 15:48
S87	2	"7068789".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 15:50
S88	4414	713/168,175,177-180. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S89	11261	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S90	40	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S91	26	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S92	93	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S93	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S94	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S95	5118	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S96	1847	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S97	16	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S98	650	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S99	2849	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S100	3413	S98 or S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S101	255	S95 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S102	78831	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S103	39	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S104	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S105	40	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S106	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S107	1135	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S108	73	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S109	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S110	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S111	9066	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S112	11260	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S113	605	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S114	62	hash same (alphanumeric or readable) same compar\$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S115	1034	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S116	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S117	598	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S118	369	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S119	8	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S120	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S121	541	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S122	45	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S123	10491	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S124	830	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S125	194	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S126	27	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authentica\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S127	11261	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S128	40	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S129	26	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S130	93	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S131	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S132	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S133	5118	((send\$3 or reciev\$3) with (identity)) same (sign \$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S134	1847	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S135	16	S133 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S136	650	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S137	2849	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S138	3413	S136 or S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S139	255	S133 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S140	78831	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S141	39	S139 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S142	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S143	40	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S144	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S145	1135	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S146	73	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S147	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S148	3	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S149	9066	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S150	11260	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S151	605	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S152	62	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S153	1034	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S154	3	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S155	598	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S156	369	hash with mask\$4 same (ID or person\$4 or number or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S157	8	hash with mask\$4 same (ID or person\$4 or number or identif\$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S158	26	(hash with mask\$4) same (ID or person\$4 or number or identif\$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S159	541	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S160	45	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S161	10491	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S162	830	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
S163	194	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08

S164	27	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authenticat\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/30 16:08
------	----	------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------	-----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

2/ 12/ 2010 4:07:10 PM

C:\ Documents and Settings\ rmoran\ My Documents\ EAST\ Workspaces\ 10693172.wsp